



MR Series



select Inquiry	Bearing NO.	Dimension(mm)						Basic Load Rating(N)		Limited speed	Weight (kg)	
		d(mm)	D(mm)	B(mm)	B1	r min(mm)	Dynamic(Cr)	Static(Cor)	rpm			
											Grease ZZ	Oil(OPEN)
681	1	3	1	—	0.05	80	23		150000	0.03		
MR 31	1	3	1.5	—	0.05	80	23		150000	0.04		
691	1	4	1.6	—	0.1	38	35		120000	0.09		
MR 41 X	1.2	4	1.8	2.5	0.1	138	35	110000	130000	0.1		
681 X	1.5	4	1.2	2	0.05	112	33	100000	120000	0.07		
691 X	1.5	5	2	2.6	0.15	237	69	85000	100000	0.17		
601 X	1.5	6	2.5	3	0.15	330	98	75000	90000	0.33		
682	2	5	1.5	2.3	0.08	169	50	85000	100000	0.12		
MR 52 B	2	5	2	2.5	0.1	187	58	85000	100000	0.16		
692	2	6	2.3	3	0.15	330	98	75000	90000	0.28		
MR 62	2	6	2.5	2.5	0.15	330	98	75000	90000	0.3		
MR 72	2	7	2.5	3	0.15	385	127	63000	75000	0.45		
602	2	7	2.8	3.5	0.15	385	127	63000	75000	0.51		
682 X	2.5	6	1.8	2.6	0.08	208	74	71000	80000	0.23		
692 X	2.5	7	2.5	3.5	0.15	385	127	63000	75000	0.41		
MR 82 X	2.5	8	2.5	—	0.2	560	179		67000	0.56		
602X	2.5	8	2.8	4	0.15	550	175	60000	71000	0.63		
MR 63	3	6	2	2.5	0.1	208	74	71000	80000	0.2		
683A	3	7	2	3	0.1	390	130	63000	75000	0.32		
MR 83	3	8	2.5	3	0.15	560	179	60000	67000	0.54		
693	3	8	3	4	0.15	560	179	60000	67000	0.61		

MR Series

MR93	3	9	2.5	4	0.2	570	187	56000	67000	0.73
603	3	9	3	5	0.15	570	187	56000	67000	0.87
623	3	10	4	4	0.15	630	218	50000	60000	1.65
633	3	13	5	5	0.2	1300	485	40000	48000	3.38
MR 74	4	7	2	2.5	0.1	310	115	60000	67000	0.22
MR 84	4	8	2	3	0.15	395	139	56000	67000	0.36
684 A	4	9	2.5	4	(0.15)	640	225	53000	63000	0.63
MR 104 B	4	10	3	4	0.2	710	270	50000	60000	1.04
694	4	11	4	4	0.15	960	345	48000	56000	1.7